

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

Global Biogeochemical Cycles

Supporting Information for

Temperature dependence of plankton community metabolism in the subtropical and tropical ocean

Lara S. Garcia-Corral^{1*} (lara.silvia.g@gmail.com), Johnna M. Holding^{1,2} (johnna@imedea.uib-csic.es), Paloma Carrillo-de-Albornoz³ (paloma.carillodealbornoz@kaust.edu.sa), Alexandra Steckbauer¹ (asteckbauer@imedea.uib-csic.es), María Pérez-Lorenzo⁴ (mplorenzo@uvigo.es), Nuria Navarro⁵ (nuria.navarro@urjc.es), Pablo Serret⁴ (pserret@uvigo.es), Josep M. Gasol⁶ (pepgasol@icm.csic.es), Xosé Anxelu G. Morán³ (Xelu.Moran@kaust.edu.sa), Marta Estrada⁶ (marta@icm.csic.es), Eugenio Fraile-Nuez⁷ (eugenio.fraile@ca.ieo.es), Verónica Benítez-Barrios⁷ (vbenitez@oceomic.com), Susana Agusti³ (susana.agusti@kaust.edu.sa) and Carlos M. Duarte³ (carlos.duarte@kaust.edu.sa).

¹Department of Global Change Research, IMEDEA (CSIC-UIB) Instituto Mediterráneo de Estudios Avanzados, C/ Miquel Marqués 21, 07190 Esporles, Islas Baleares, Spain.

²Arctic Research Center (ARC), Aarhus University, Ny Munkegade 114, bldg, 1540 DK-8000 Aarhus C, Denmark.

³King Abdullah University of Science and Technology (KAUST), Red Sea Research Center (RSRC), Thuwal, 23955-6900, Saudi Arabia

22 ⁴Departamento de Ecología y Biología Animal, Facultade de Ciencias do Mar,
23 Universidad de Vigo, E-36310,Vigo Spain.

24 ⁵Área de Biodiversidad y Conservación ESCET, Universidad Rey Juan Carlos, Tulipán
25 s/n, Móstoles, 28933 Madrid, Spain.

26 ⁶Department of Marine Biology and Oceanography, Institut de Ciències del Mar, CSIC.
27 Pg Marítim de la Barceloneta 37-49, E08003 Barcelona, Spain

28 ⁷Instituto Español de Oceanografía, Centro Oceanográfico de Canarias, 38180 Santa Cruz
29 de Tenerife, Spain

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47 **Contents of this file**

48

49 **Figure S1.** The relationship between the slope of the Type I and II fitted regressions and

50 the coefficient of variation of the error added to metabolic rates calculated using the


51 Arrhenius equation. The solid line and the equation shows the fitted least squares, Type I

52 regression equation.

53

54

55



56

57

58