



- (51) International Patent Classification:  
C08G 64/34 (2006.01)
- (21) International Application Number:  
PCT/IB2016/053552
- (22) International Filing Date:  
15 June 2016 (15.06.2016)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
62/175,556 15 June 2015 (15.06.2015) US  
62/319,883 8 April 2016 (08.04.2016) US
- (71) Applicant: KING ABDULLAH UNIVERSITY OF SCIENCE AND TECHNOLOGY [SA/SA]; 4700 King Abdullah University of Science and Technology, Thuwal, 23955-6900 (SA).
- (72) Inventors: FENG, Xiaoshuang; 4700 King Abdullah University of Science and Technology, Thuwal, 23955-6900 (SA). ZHANG, Dongyue; 4700 King Abdullah University of Science and Technology, Thuwal, 23955-6900 (SA). GNANOU, Yves; 4700 King Abdullah University of Science and Technology, Thuwal, 23955-6900 (SA). HADJICHRISTIDIS, Nikolaos; 4700 King Abdullah University of Science and Technology, Thuwal, 23955-6900 (SA).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

**Declarations under Rule 4.17:**

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- of inventorship (Rule 4.17(iv))

[Continued on next page]

(54) Title: USE OF ADDITIVES TO FINE-TUNE THE COMPOSITION OF CARBONATE UNITS IN THE POLYMER FORMED BY COPOLYMERIZATION OF CO<sub>2</sub> WITH EPOXIDE: APPLICATION TO THE SYNTHESIS OF POLYCARBONATE-BASED BLOCK COPOLYMERS AND OF TELECHELICS




FIGURE 1

(57) Abstract: Embodiments of the present disclosure describe a method of making a polycarbonate, comprising contacting one or more cyclic monomers and carbon dioxide in the presence of one or more of a Lewis acid catalyst, an initiator, and an ionic liquid; and agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create a polycarbonate. Embodiments of the present disclosure further describe a method of controlling a polymer composition, comprising contacting one or more cyclic monomers and carbon dioxide; adjusting an amount of one or more of a Lewis acid catalyst, an ionic liquid, and an initiator in the presence of the one or more cyclic monomers and carbon dioxide, sufficient to selectively modify a resulting polycarbonate; and agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create the polycarbonate.

WO 2016/203408 A1

**Published:**

— *with international search report (Art. 21(3))*

**USE OF ADDITIVES TO FINE-TUNE THE COMPOSITION OF CARBONATE UNITS IN THE POLYMER FORMED BY COPOLYMERIZATION OF CO<sub>2</sub> WITH EPOXIDE: APPLICATION TO THE SYNTHESIS OF POLYCARBONATE-BASED BLOCK COPOLYMERS AND OF TELECHELICS**

**BACKGROUND**

**[0001]** Carbon dioxide (CO<sub>2</sub>) is an abundant, inexpensive, and non-toxic renewable resource for the production of value-added chemicals and materials. Chemical fixation of carbon dioxide is an important research field of green chemistry. Alternating copolymerization of carbon dioxide-based polycarbonate is one of its most important applications. This polymer not only has excellent barrier properties to oxygen and water, but also has excellent biocompatibility and biodegradability. Polycarbonates can be used as engineering plastics, non-polluting materials, disposable medical and food packaging, adhesives and composite materials.

**[0002]** One of the promising approaches to harness the potential of CO<sub>2</sub> is to copolymerize of CO<sub>2</sub> with epoxides to produce polycarbonates. The most successful CO<sub>2</sub>-epoxide copolymerization systems are based on transition metal Cr(III), Co(III) or Zn(II) complexes with Schiff base ligands. In the case of copolymerization of CO<sub>2</sub> and propylene oxide (PO), totally alternated poly(propylene carbonate) (PPC) with molar mass up to 300,000 g mol<sup>-1</sup> could be prepared using a recyclable catalyst (salen) Co(III) (S. Sujith, et. al, *Angew. Chem. Int. Ed.*, 2008, 47, 7306). To improve the thermal and mechanical properties of most investigated polycarbonates, (PPC) and poly(cyclohexenecarbonate) (PCHC), or endow degradable properties to other polymeric materials, incorporation of two or more other blocks into the polycarbonates to form block copolymers is indispensable. One strategy is the copolymerization of CO<sub>2</sub> with other epoxides which could afford polycarbonate block copolymers. Through sequential addition of functionalized cyclohexene monomer, Coates, et. al. synthesized a multiblock polycyclohexene carbonate with different functional substituents at the cyclohexene ring with Zn(II) diiminate as catalyst (J. G. Kim, et. al., *Macromolecules* 2011, 44, 1110-1113). Similarly, Darensbourg et. al. reported that terpolymerization of propylene oxide, vinyl oxide and CO<sub>2</sub> provided random polycarbonate copolymers of various compositions depending on the feed ratios of the epoxide monomers catalyzed by binary and bifunctional (salen) Co(III) complexes, the vinyl group introduced could be crosslinked afterwards (D. J. Darensbourg, et. al., *Polymer Chemistry* 2014, DOI: 10.1039/c4py01612b). Due to the high selectivity of catalysts to one kind of epoxide monomer, other strategy had to

be employed to get block copolymers other than polycarbonates. Using various polymers containing hydroxyl or carboxylic group as a chain transfer agents, Lee et. al. synthesized block copolymers of PPC, and poly(ethylene oxide), polytetrahydrofuran, polycaprolactone, polystyrene, etc. respectively (A. Cyriac, et al, *Macromolecules* 2010, 43, 7398-7401). Alternatively, Williams's and Lu's group reported the preparation of polycarbonate block copolymer in a two-step process, the end or side hydroxyl groups due to transfer or hydrolysis of polycarbonate produced in the first step, subsequently initiate the polymerization of lactide; ABA-type and grafted polycarbonate-b-poly lactide were obtained respectively (M. R. Kember, et al, *Polymer Chemistry* 2012, 3, 1196-1201; Y. Liu, et al, *Macromolecules* 2014, 47, 1269-1276). Recently, Darensbourg have demonstrated a tandem catalytic approach for the synthesis of AB diblock copolymers containing poly(styrene carbonate) and polylactide, where the end hydroxyl group of macroinitiator was generated at the end of copolymerization of styrene oxide/ CO<sub>2</sub> copolymerization (G.-P. Wu, et al, *J. Am. Chem. Soc.* 2012,134, 17739 – 17745); in another strategy, they reported the synthesis of ABA-type PLA-PPO-PLA triblock copolymers in one pot, here, water was added along with the propylene oxide(PO)/CO<sub>2</sub> copolymerization process as a chain-transfer reagent (D. J. Darensbourg, G. P. Wu, *Angew. Chem. Int. Ed.* 2013, 52, 10602-10606).

**[0003]** Recently, more attention has been paid to green processes and catalysts based on main group metal complexes. With efficient catalysts such as Co(III) and Cr(III), the traces of metal residues inside the resin may result in toxic, colored, degradation issues that will affect their performance and limit their applications accordingly. In contrast, aluminum, one of the earliest investigated metal as catalyst since the discovery of copolymerization of CO<sub>2</sub> and epoxides, is earth-abundant, cheap, and biocompatible. More importantly, aluminum complexes are known to catalyze a wide range of other polymerization reactions, thus providing the possibility to expand CO<sub>2</sub> based block copolymers other than epoxides. In fact, due to the competitive homopolymerization of epoxides catalyzed by aluminum catalysts, more work needs to be done to improve the catalytic effects. Aluminum porphyrin complex and Schiff base complexes both could catalyze alternating copolymerization of CO<sub>2</sub> and epoxides, the catalytic efficiencies were quite low, and molar masses of obtained polycarbonates were below 10 Kg mol<sup>-1</sup>(N. Ikpo, J. C. Flogeras, F. M. Kerton, *Dalton Trans.*, 42, 2013, 8998-9006). As for aluminum alkoxides [(triisopropoxide (T. A. Zevaco, et. al. *Green Chem.*, 2005, 7, 659–666); bisphenoxide (T. A. Zevaco, et. al. *Catal. Today*, 2006, 115, 151–161); calixarenoxide (W. Kuran, et. al. *J. Macromol. Sci., Pure Appl. Chem.*, 1998, A35, 427–437)], these relatively simple coordination complexes, however, required high

pressures, the achieved polymers were of low to moderate carbonate linkage with low molar mass. The only exception is the results reported by Kerton (N. Ikpo, et. al. Organometallics, 2012, 31, 8145–8158) that a relatively high molecular weight polymer (20.9 Kg mol<sup>-1</sup>) with 54% of carbon dioxide incorporation was achieved when amine-phenoxide was used as catalyst.

**[0004]** The composition of carbonate linkage in these systems could be hardly fine-tuned once the catalysts for the copolymerization of CO<sub>2</sub> and epoxides ~~are~~ were chosen, which then yielded for each system a fixed percentage of carbonate linkage between 100% and a few percent. The only means in each of these systems to vary the percentage of carbonate linkage would thus be to vary the pressure of CO<sub>2</sub> or the temperature. For some purposes, polymers whose level of carbonate linkages could be easily varied may also be desirable. However, one example that allows tuning of the composition of carbonate linkage is reported by Lee et. al. who mixed two kinds of catalysts in different ratio, the propagation occurring through shuttling of the growing polymer chains between the two catalyst sites: Salen–cobalt(III) complex bearing four quaternary ammonium salts [a highly active poly(propylene carbonate) catalyst, 100% of carbonate linkage] and a double metal cyanide [DMC, a highly active poly(propylene oxide), 10% of carbonate linkage], copolymers with 10-67% of carbonates could be achieved (J. K. Varghese, et al, Polyhedron 2012, 32, 90-95).

### SUMMARY

**[0005]** In general, embodiments of the present disclosure describe a method of making a polycarbonate, comprising contacting one or more cyclic monomers and carbon dioxide in the presence of one or more of a Lewis acid catalyst, an initiator, and an ionic liquid; and agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create a polycarbonate.

**[0006]** Embodiments of the present disclosure further describe a method of controlling a polymer composition, comprising contacting one or more cyclic monomers and carbon dioxide; adjusting an amount of one or more of a Lewis acid catalyst, an ionic liquid, and an initiator in the presence of the one or more cyclic monomers and carbon dioxide, sufficient to selectively modify a resulting polycarbonate; and agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create the polycarbonate.

[0007] Examples of the present disclosure describe the preparation of polyol and block copolymer initiated by bifunctional or macromolecular lithium or oxide salts in the presence of Lewis acid catalyst and cyclic monomers and carbon dioxide.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0008] The accompanying drawings illustrate non-limiting example embodiments of the invention.

[0009] **FIG. 1** illustrates a block flow diagram of a method of making a polycarbonate, according to one or more embodiments of this disclosure.

[0010] **FIG. 2** illustrates a block flow diagram of a method of controlling a polymer composition, according to one or more embodiments of this disclosure.

[0011] **FIG. 3A** illustrates a graphical view of an infrared (IR) degradation characterization of a prepared polymer initiated by N-heterocyclic carbene (NHC), according to one or more embodiments of this disclosure.

[0012] **FIG. 3B** illustrates a graphical view of a gel permeation chromatography (GPC) degradation characterization of a prepared polymer initiated by N-heterocyclic carbene (NHC), according to one or more embodiments of this disclosure.

[0013] **FIG. 4** illustrates a graphical view of an infrared (IR) degradation test of prepared polymer initiated by imidazolium chloride, according to one or more embodiments of this disclosure.

[0014] **FIG. 5A** illustrates a graphical view of NMR characterization of prepared poly(cyclohexene carbonate) initiated by Lithium benzoxide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0015] **FIG. 5B** illustrates a graphical view of MALDI-tof characterization of prepared poly(cyclohexene carbonate) initiated by Lithium benzoxide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0016] **FIG. 6A** illustrates a graphical view of NMR characterization of prepared poly(cyclohexene carbonate) initiated by Lithium chloride and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0017] **FIG. 6B** illustrates a graphical view of MALDI-tof characterization of prepared poly(cyclohexene carbonate) initiated by Lithium chloride and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0018] FIG. 7A illustrates a graphical view of NMR characterization of prepared poly(cyclohexene carbonate) initiated by Lithium bromide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0019] FIG. 7B illustrates a graphical view of MALDI-tof characterization of prepared poly(cyclohexene carbonate) initiated by Lithium bromide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0020] FIG. 8 illustrates a graphical overlay view of a gel permeation chromatography (GPC) characterization of prepared poly(cyclohexene carbonate) initiated by lithium salts and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0021] FIG. 9 illustrates a graphical view of NMR characterization of prepared poly(cyclohexene carbonate) initiated by Lithium triethylene glyxide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0022] FIG. 10 illustrates a graphical overlay view of a gel permeation chromatography (GPC) characterization of prepared poly(cyclohexene carbonate) initiated by lithium glyxides and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0023] FIG. 11 illustrates a graphical view of NMR characterization of prepared poly(propylene carbonate) initiated by Lithium triethylene glyxide and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0024] FIG. 12 illustrates a graphical view of a gel permeation chromatography (GPC) characterization of prepared poly(propylene carbonate) initiated by lithium triethylene glyxides and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0025] FIG. 13 illustrates a graphical view of NMR characterization of prepared polymer initiated by Lithium polystyrene and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0026] FIG. 14 illustrates a graphical overlay view of a gel permeation chromatography (GPC) characterization of prepared polymers initiated by lithium polystyrene and catalyzed by triisobutyl aluminum, according to one or more embodiments of this disclosure.

[0027] FIG. 15 illustrates a graphical view of NMR characterization of prepared polymer initiated by potassium tertbutyloxide and catalyzed by triethyl borane, according to one or more embodiments of this disclosure.

**[0028]** FIG. 16 illustrates a graphical view of NMR characterization of prepared polymer initiated by tetrabutylammonium chloride and catalyzed by triethyl borane, according to one or more embodiments of this disclosure.

**[0029]** FIG. 17 illustrates a graphical view of NMR characterization of prepared polymer initiated by benzene alcohol and phosphazene P2 and catalyzed by triethyl borane, according to one or more embodiments of this disclosure.

**[0030]** FIG. 18 illustrates a graphical view of NMR characterization of prepared polymer initiated by benzene alcohol and phosphazene P4 and catalyzed by triethyl borane, according to one or more embodiments of this disclosure.

**[0031]** FIG. 19 illustrates a graphical view of NMR characterization of prepared poly(cyclohexene carbonate) initiated by potassium tertbutoxide and catalyzed by triethyl borane, according to one or more embodiments of this disclosure.

**[0032]** FIG. 20 illustrates a graphical overlay view of a gel permeation chromatography (GPC) characterization of prepared poly(propylene carbonate) and poly(cyclohexene carbonate) polymers catalyzed by triethylborane, according to one or more embodiments of this disclosure.

#### DETAILED DESCRIPTION

**[0033]** Common commercial problems with polycarbonates include laborious and costly catalyst preparation, as well as residues remaining in the resins. These problems may increase costs, create toxicity issues, and limit performance. Importantly, there lacks a methodology to tune the carbonate contents for specific applications. The catalysts for the copolymerization of CO<sub>2</sub> and epoxides in the present disclosure are inexpensive and widely available, can tune the composition of obtained polycarbonates, and copolymerize with other cyclic monomers, such as lactide and caprolactones.

**[0034]** The methods and compositions disclosed herein provide inexpensive, commercially available, biocompatible Lewis acids as catalysts for copolymerization of carbon dioxide and cyclic monomers, such as epoxides. Further, the carbonate and polyether contents can be conveniently adjusted based on the feeding ratio of catalyst to initiator or together with amount of ionic liquid and lithium salts utilized. Polycarbonates can be modified or tuned according to embodiments of the invention to create two types of block copolymer structure, random and alternated copolymer with the carbonate composition from about 2% to about 100%, for example.



**[0035]** As embodiments of this disclosure discuss preparations of polycarbonate with different compositions and structures, which is also the precursor of polyurethane, results may find application in packaging, coatings, surfactant, and medical industries.

#### Definitions

**[0036]** As used herein, “polycarbonate” refers to a general class of polymers containing a carbonate moiety.

**[0037]** As used herein, “contacting” refers to bringing two or more components in proximity, such as physically, chemically, electrically, or some combination thereof. Mixing is an example of contacting.

**[0038]** As used herein, “agitating” refers to disturbing or moving components. Agitating can include stirring and shaking, for example.

**[0039]** As used herein, “catalyst” refers to a component that affects a rate or other quality of a reaction without itself undergoing any permanent chemical transformation. Trialkyl aluminum and trialkyl borane are examples of a catalyst.

**[0040]** As used herein, “ionic liquid” refers to a salt in a liquid state. In an ionic liquid, the ions are poorly coordinated and result in the liquids having low melting points. Ionic liquids can be derived from methylimidazolium and pyridinium ions, for example.

**[0041]** As used herein, “lithium salt” refers to a salt with lithium as a cation. They include inorganic and organic salts, and could participate in polymerization as an initiator or as additive to tune the polymerization activity of one or more monomers and carbon dioxide.

**[0042]** As used herein, “initiator” refers to a mono- or poly- (including macromolecular) alcoholic, phenolic, acidic salts with cations (lithium, sodium, potassium, cesium, ammonium, imidazolium, phosphazium) produced through deprotonation by different bases, salts, and other lithium salts additives. Bases include, but are not limited to, for example, imidazolium alkoxide, lithium alkoxide, lithium phenolate, and alkyllithium (including macromolecular alkoxide); salts include, but are not limited to, for example, imidazolium halide, lithium, sodium, potassium, halides, ammonium, tetraalkylammonium, tetraalkylphosphonium in halide, hydroxide, carbonate, and carboxylate; and other lithium salts additives include, but are not limited to, for example, lithium carbonate, LiOH, LiCO<sub>3</sub>, LiClO<sub>4</sub>, LiPF<sub>6</sub>, LiBF<sub>4</sub>, and lithium bis(trifluoromethane)sulfonamide (Tf<sub>2</sub>N). The initiator can include macromolecular salts, including, but not limited to, for example, one or more of macromolecular lithium salts. The initiator can include an anionic nucleophile.

**[0043]** As used herein, “epoxide” refers to a cyclic ether with a three-atom ring. Examples of epoxides include propylene oxide (PO) and cyclohexene oxide (CHO), and can be used as cyclic monomers.

**[0044]** Referring to **FIG. 1**, a block flow diagram of a method of making a polycarbonate is shown, according to one or more embodiments of this disclosure. One or more cyclic monomers and carbon dioxide are contacted 102 in the presence of one or more of a Lewis acid catalyst, an initiator, and an ionic liquid. The one or more cyclic monomers and carbon dioxide are agitated 104 to copolymerize and create a polycarbonate. The structure and terminal functionality of the polycarbonate can be adjusted by the initiator, including multifunctional and macromolecular type. Bifunctional, heterofunctional block copolymers can be created according to an embodiment of this disclosure.

**[0045]** The one or more cyclic monomers can include one or more epoxides, for example. In some embodiments, the one or more cyclic monomers can include one or more of epoxides, lactides, caprolactones, propylene oxides (PO), and cyclohexene oxides (CHO). In some embodiments, the one or more cyclic monomers can include one or more of epoxides, lactides, caprolactones, propylene oxides, cyclohexene oxides, ethylene oxides, and styrene oxides.

**[0046]** The Lewis Acid catalyst can include one or more of triisobutyl aluminum, triethyl borane, trialkyl aluminum, trimethyl borane, triisobutylborane, triphenylborane, trialkyl borane, dialkyl zinc, dialkyl magnesium, diethyl zinc, diethyl magnesium, and the ester forms thereof.

**[0047]** The initiator (anionic nucleophile) can include mono- and/or poly-alcoholic, phenolic, and acidic salts with cations produced through deprotonation by different bases, salts, and other lithium salts additives. The cations can include one or more of lithium, sodium, potassium, cesium, ammonium, imidazolium, and phosphonium. The bases can include, but are not limited to, one or more of imidazolium alkoxide, lithium alkoxide, lithium phenolate, and alkyllithium (including macromolecular alkoxide). The salts can include, but are not limited to, one or more of imidazolium halide, lithium, sodium, potassium, halides, ammonium, tetraalkylammonium, tetraalkylphosphonium in halide, hydroxide, carbonate, and carboxylate. Other lithium salts additives can include, but are not limited to, one or more of lithium alkoxide, lithium carbonate, lithium phenolate, lithium halide, LiOH, LiCO<sub>3</sub>, LiClO<sub>4</sub>, LiPF<sub>6</sub>, LiBF<sub>4</sub>, and lithium bis(trifluoromethane)sulfonamide (Tf<sup>2</sup>N). The initiator can include one or more of lithium salts, imidazolium salts, and alkoxide salts. The initiator can include one or more of lithium benzoxide, lithium chloride, lithium

bromide, lithium triethylene glycoxide, lithium glycoxide, lithium polystyrene, n-heterocyclic carbene, imidazolium chloride, potassium tertbutyloxide, tetrabutylammonium chloride, and benzene alcohol and phosphazene P2. The initiator can include deprotonated alkoxide using one or more of carbene and butyl lithium.

**[0048]** The ionic liquid can include a salt in a liquid state. The ionic liquid can include one or more of 1-butyl-3-methylimidazolium hexafluorophosphate (BMIM-PF<sub>6</sub>) and trioctylmethylammonium bis(trifluoromethyl-sulfonyl)imide. The ionic liquid can include one or more of methylimidazolium and pyridinium ions. The ionic liquid can include one or more imidazolium-based ionic liquids with different counter ions, including, but not limited to, one or more of 3-Methyl-(4-9)-(fluoro)imidazolium Bis[(trifluoromethyl)sulfonyl]imide, 1-hexyl-3-methylimidazolium tris(penta fluoro propyl)trifluoro phosphate, and 1-pentyl-3-methyl imidazolium tris(nona fluoro butyl)] trifluoro-phosphate. The ionic liquid can include one or more ammonium-based ionic liquids with different counter ions, including, but not limited to, choline bis(trifluoromethylsulfonyl)imide, tetrabutyl ammonium docusate, peg-5-cocomonium methylsulphate. The ionic liquid can include one or more super-based derived protonic ionic liquids, including, but not limited to, methyl-triaza bicycloundacane (MTBD) and trifluoroethanol [MTBDH<sup>+</sup>] [TFE<sup>-</sup>]. The ionic liquid can include one or more polyionic liquids, including, but not limited to, one or more of poly(1-[(2-methacryloyloxy)ethyl]-3-butylimidazoliums, poly(1-ethyl-3-vinyl-imidazolium) bis(trifluoromethylsulfonyl) imide, N,N-dimethyl-N,N-diallylammonium bis(trifluoromethylsulfonyl) imide, and poly(diallyldimethylammonium chloride) solution.


**[0049]** Referring to **FIG. 2**, a block flow diagram of a method of controlling a polymer composition is shown, according to one or more embodiments of this disclosure. One or more cyclic monomers and carbon dioxide are contacted 102. An amount of one or more of a Lewis acid catalyst, an ionic liquid, and an initiator in the presence of the one or more cyclic monomers and carbon dioxide is adjusted 202, sufficiently to selectively modify a resulting polycarbonate. The one or more cyclic monomers and carbon dioxide are agitated 104 sufficiently to copolymerize and create the polycarbonate.

**[0050]** Adjusting 202 includes adding an excess, for example. Adjusting can also include modifying one or more of ratios of catalyst/ionic liquid, catalyst/initiator, catalyst/cyclic monomers, ionic liquid/cyclic monomer and initiator/cyclic monomer, polymerization pressure (1 atm to 50 atm), and temperature (ambient temperature to 120<sup>0</sup>C). In one example, ratio of ionic liquid/cyclic monomer is increased to affect the solubility of carbon dioxide and the resulting carbonate percentage in the polycarbonate.

**[0051]** Selectively modifying includes one or more of modifying a ratio of blocks, modifying a gradient, introducing a terminal functional group, copolymerizing with other macromolecular initiates, affecting randomness of blocks, and altering a structure. Polycarbonates can be modified or tuned according to embodiments of the present invention to create two types of block copolymer structures, including a gradient and random copolymer with a carbonate composition from about 2% to about 100%, from about 5% to about 80%, and from about 10% to about 60%, for example. Selectively modifying includes increasing or decreasing a gradient in the copolymer, increasing or decreasing randomness of blocks, and increasing the amount of carbonate in the resulting copolymer, for example. By choosing appropriate alcohol, phenol, acid, heterofunctional polycarbonates, polyol, and block polycarbonate copolymers with polystyrene, polybutadiene, polyisoprene, poly(ethylene oxide) could be prepared, for example.

**[0052]** In some embodiments, a process of copolymerization of CO<sub>2</sub> and epoxides catalyzed by trialkyl aluminum or triethyl borane is shown. The synthetic process catalyzed by triisobutyl aluminum as an example is shown in scheme 1, initiated by deprotonated alkoxide using carbene or butyl lithium, or directly by imidazolium salts and lithium salts:

**Scheme 1.**



In the examples, three additives are used to tune or modify the composition of carbonates. One is the catalyst Al(iBu)<sub>3</sub>, and the others are ionic liquid, lithium salts and CO<sub>2</sub>-philic solvents. Ionic liquid could be: 1) Imidazolium based ionic liquids with different counter ion, 3-Methyl-(4-9)-(fluoro)imidazolium Bis[(trifluoromethyl)sulfonyl]imide, 1-hexyl-3-methylimidazolium tris(penta fluoro propyl)trifluoro phosphate and 1-pentyl-3-methylimidazolium tris(nona fluoro butyl)] trifluoro-phosphate etc.; 2) Ammonium based ionic liquids with different counter ions, choline bis(trifluoromethylsulfonyl)imide, tetrabutyl ammonium docusate, peg-5-cocomonium methylsulphate etc. (ref: J. Phys. Chem. B, Vol. 111, No. 30, 2007); 3) Super based derived protonic ionic liquids, Methyl-triaza

bicycloundecane (MTBD) and trifluoroethanol [MTBDH<sup>+</sup>] [TFE<sup>-</sup>] etc. (ref: *Angew. Chem. Int. Ed.* 2010, 49, 5978 –5981); B) Polyionic liquids: poly(1-[(2-methacryloyloxy)ethyl]-3-butylimidazoliums, poly(1-ethyl-3-vinyl-imidazolium) bis(trifluoromethylsulfonyl) imide, N,N-dimethyl-N,N-diallylammonium bis(trifluoromethylsulfonyl) imide and poly(diallyldimethylammonium chloride) solution etc. (*Electrochimica Acta*, doi:10.1016/j.electacta.2015.03.038)]. Lithium salts could be: lithium alkoxide, alkyllithium, lithium carbonate, lithium phenolate, lithium halide, LiOH, LiCO<sub>3</sub>, LiClO<sub>4</sub>, LiPF<sub>6</sub>, LiBF<sub>4</sub>, lithium bis(trifluoromethane)sulfonamide (Tf<sub>2</sub>N), etc. CO<sub>2</sub>-philic solvents could be: THF, poly(ethylene glycol) dimethyl ether, polypropyleneglycol dimethylether, polydimethyl siloxane, etc (M. B. Miller, D. R. Luebke, R. M. Enick, *Energy & Fuels* 2010, 24, 6214-6219). Through different feeding ratios, different mean compositions and terminal functionality of polycarbonates and block copolymers initiated by other macromolecular polyols (hydroxyl terminated polystyrene (PSt), polyisoprene (PI), polybutadiene (PI), poly(ethylene oxide) (PEO), for example) can be achieved. Not only the sequential polymerization of other cyclic monomers, such as lactide, caprolactone leading block copolymers, but also the copolymerization of the latter monomers with CO<sub>2</sub> can be contemplated.

### EXAMPLE 1

**[0053]** A representative procedure of CO<sub>2</sub> copolymerization of propylene oxide with carbene catalyzed by triisobutyl aluminum was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 10.8 mg of 2-phenyl ethanol (86 μmol) was added followed by 1.5 mL of toluene. 1,3-diisopropylimidazol-2-ylidene in toluene (86 μmol) was added to deprotonate the alcohol. Ten minutes later, 246 mg of ionic liquid (10 eq.), 1-butyl-3-methylimidazolium hexafluorophosphate and triisobutyl aluminum in toluene (103 μmol) were added into the autoclave. To prevent homopolymerization before charging CO<sub>2</sub>, 1.5 mL of propylene oxide was charged into a separate small vial which was put inside the autoclave. CO<sub>2</sub> was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under vigorous stirring at room temperature. After the reaction time, the carbon dioxide slowly vented, and the reaction quenched with drops of 10% HCl. Toluene was used to extract the polymer to remove the added ionic liquid. The organic solution was concentrated and dried for characterization. The results were listed in Table 1. The obtained polycarbonates (non-quenched polymer crude mixture) exhibited degradation phenomena characterized by IR (See **FIG. 3A** illustrating a graphical view of an

IR degradation characterization of a prepared polymer initiated by N-heterocyclic carbene (NHC), according to one or more embodiments of this disclosure), GPC (See FIG. 3B illustrating a graphical view of a gel permeation chromatography (GPC) degradation characterization of a prepared polymer initiated by N-heterocyclic carbene (NHC), according to one or more embodiments of this disclosure), suggesting their gradient structure.

**Table 1. Gradient poly(ether carbonate) copolymer initiated by carbene system**

EXP*	Initiator (1.0)	iBu3Al (Eq.)	IL (Eq.)	solvent	PO	CO2 (atm)	Temp.	time	Conv. (%PO)	PC (mol%)	Selectivity (%)	GPC (X10 <sup>3</sup> )
1	PhEOH/NHC	0	0	Tol	7.2M	10	60			0	0	
2	PhEOH/NHC	1.0	0	Tol	7.2M	10	60	3ds	51	26	30	1.39/2.28
3	PhEOH/NHC	1.5	0	Tol	7.2M	10	R.t.	16+10(40 <sup>o</sup> C)	91	1.1	64	14.7/1.18
4	PhEOH/NHC	1.2	5	Tol	7.2M	10	R.t.	16+8(40 <sup>o</sup> C)	12	42	73	1.57/1.37
5	PhEOH/NHC	1.5	10	Tol	7.2M	10	R.t.	16	26	27	85	6.46/1.10
6	PhEOH/NHC	1.2	20	Tol	7.2M	10	R.t.	3ds	36	50	99.3	5.82/1.16
7	PhEOH/NHC	1.2	5	Tol.	7.2M	10	r.t.	16h	2.5	51	>99%	
8	PhEOH/NHC	1.2	8	Tol.	7.2M	10	r.t.	16h	4.9	58	93%	
9	PhEOH/NHC	1.2	10	Tol.	7.2M	10	r.t.	16h	6.9	54	>99%	
11	PhEOH/NHC	1.2	20	Tol.	7.2M	10	r.t.	16h	10.3	38	99%	
12	PhEOH/NHC	5.0	10	Tol.	7.2M	10	r.t.	16h	26.2	37	97%	
13	PhEOH/NHC	3.0	10	Tol.	7.2M	10	r.t.	16h	19.3	42	97%	
14	PhEOH/NHC	2.0	10	Tol.	7.2M	10	r.t.	16h	9.9	46	97%	
15	Acetic acid/ NHC	1.2	10	Tol.	7.2M	10	r.t.	16h	3.5	48	99%	
16	PhEOH/NHC	1.2	10	DCM	7.2M	10	r.t.	16h	0.8	53	98%	
17	PhEOH/NHC	1.2	10	Dioxane	7.2M	10	r.t.	16h	5.8	50	98%	
18	PhEOH/NHC	1.2	10	THF	7.2M	10	r.t.	16h	9.3	44	>99%	
19	PhEOH/NHC	1.2	10	Cyclic carbonate	7.2M	10	r.t.	16h	Trace	52		
20	PhEOH/NHC	1.2	10	hexane	7.2M	10	r.t.	16h	6.4	45	97%	
21	PhEOH/NHC	2.0	10	Tol.	5.6M	10	r.t.	16h	84.0	33	>99%	
22	PhEOH/NHC	1.2	10	Tol.	5.6M	30	r.t.	16h	10.0	16	>99%	

\*: Exp. 1-20, propylene oxide as monomer, 21-22, cyclohexene oxide as monomer.

## EXAMPLE 2

**[0054]** A representative procedure of CO<sub>2</sub> copolymerization of propylene oxide with imidazolium salt catalyzed by triisobutyl aluminum was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 16 mg of 1,3-diisopropylimidazolium chloride (86 μmol) was added followed by 0.3 g of propylene carbonate. After the imidazolium salt was completely dissolved, 123 mg of ionic liquid (5

eq.), 1-butyl-3-methylimidazolium hexafluorophosphate and triisobutyl aluminum in toluene (103  $\mu\text{mol}$ ) were added into the autoclave. To prevent homopolymerization before charging  $\text{CO}_2$ , 1.5 mL of propylene oxide was charged into a separate small vial which was put inside the autoclave.  $\text{CO}_2$  was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under stirring at 60 °C after the propylene oxide was mixed through vigorous shaking. After the reaction time, the carbon dioxide was slowly vented, and quenched the reaction with drops of 10% HCl. The reaction mixture was precipitated into excess of water to remove propylene carbonate. Toluene was used to extract the precipitate to remove the added ionic liquid. The organic solution was concentrated and dried for characterization. The results were listed in Table 2. The obtained polycarbonates (non-quenched polymer crude mixture) did not exhibit degradation phenomena characterized by IR (see **FIG. 4** illustrating a graphical view of an infrared (IR) degradation test of prepared polymer initiated by imidazolium chloride, according to one or more embodiments of this disclosure).

**Table 2. Random poly(propylene carbonate) copolymer initiated by imidazolium chloride**

EXP	Initiator (1.0)	iBu3Al (Eq.)	IL (Eq.)	solvent	PO	CO2 (atm)	Temp.	time	Conv. (%PO)	PPC (mol%)	Selectivity (%)	GPC ( $\times 10^3$ )
23	Pr2ImCl	1.2	5	CPC	12.3M	10	60	16	90	33	nd	2.55/1.28
24	Pr2ImCl	1.2	20	CPC	12.3M	10	60	16	56	36	nd	4.67/1.59
25	Pr2ImCl	1.2	0	CPC	13.6M	15	60	3ds	42		nd	22.0/1.12
26	Pr2ImCl	1.1	5	CPC	12.3M	10	60	16	77	34	nd	6.48/1.58

### EXAMPLE 3

**[0055]** A representative procedure of  $\text{CO}_2$  copolymerization of cyclohexene oxide with lithium salts catalyzed by triisobutyl aluminum was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 93 mg of 2-phenyl ethanol (0.74 mmol) was added followed by 1.5 mL of THF. Butyllithium in toluene (0.74 mmol) was added to deprotonate the alcohol. Ten minutes later, triisobutyl aluminum in toluene (0.20 mmol) were added into the autoclave. To prevent homopolymerization before charging  $\text{CO}_2$ , 1.5 mL of cyclohexene oxide was charged into a separate small vial which was put inside the autoclave.  $\text{CO}_2$  was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under vigorous stirring at 80 °C. After the reaction time, the carbon dioxide slowly vented, and the reaction quenched with drops of 10% HCl. Dichloromethane was used to extract the polymer. The organic solution was concentrated and precipitated in methanol. The results were listed in Table 3, **FIG. 5-12**.

Table 3. polycarbonate initiated by lithium salts

EXP	Initiator (mol/L)	iBu3Al (mol/L)	Li salt additive (Eq.)	solvent	Epoxide	CO2 (atm)	Temp.	time	Yield (%)	PC (mol%)	Selectivity (%)	GPC (X10 <sup>3</sup> )
27	BzOLi(0.25)	0.066	0	THF	CHO(5.0M)	10	80	16	84	99	>99	3.4/1.10
24	BzOLi(0.10)	0.025	0	Tol	CHO(5.0M)	10	80	16	11	25	>99	2.0/1.20
25	BzOLi(0.10)	0.025	0	THF	CHO(5.0M)	10	60	16	13	91	>99	5.3/1.10
26	BzOLi(0.10)	0.066	0	THF	CHO(5.0M)	10	60	16	73	88	>99	4.0/1.10
27	BzOLi(0.10)	0.10	0	THF	CHO(5.0M)	10	60	16	78	29	>99	5.3/1.10
28	BzOLi(0.10)	0.066	CF <sub>3</sub> SO <sub>3</sub> Li(1.5)	THF	CHO(5.0M)	10	80	16	50	12	>99	1.2/1.30
29	BzOLi(0.10)	0.066	LiF(1.5)	THF	CHO(5.0M)	10	80	16	47	60	>99	1.4/1.40
30	LiCl(0.25)	0.066	0	THF	CHO(5.0M)	10	80	16	86	99	>99	2.4/1.10
31	LiBr(0.25)	0.066	0	THF	CHO(5.0M)	10	60	16	92	99	>99	2.1/1.10
32	LiO(EO) <sub>3</sub> Li (0.25)	0.13	0	THF	CHO(5.0M)	10	60	16	91	88	>99	4.1/1.20
33	LiO(EO) <sub>14</sub> Li (0.25)	0.13	0	THF	CHO(5.0M)	10	60	16	97	99	>99	3.0/1.20
34	PSt-CH <sub>2</sub> CH <sub>2</sub> O <sub>2</sub> Li (0.25)	0.066	0	THF	CHO(5.0M)	10	60	16	90	95	>99	4.1/1.10
35	LiO(EO) <sub>3</sub> Li (0.18)	0.094	0	THF	PO(7.2M)	10	r.t.	16	25	61	94	1.8/1.08

**EXAMPLE 4**

**[0056]** A representative procedure of CO<sub>2</sub> copolymerization of cyclohexene oxide with macromolecular lithium salts catalyzed by triisobutyl aluminum was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 93 mg of 2-phenyl ethanol (0.74 mmol) was added followed by 1.5 mL of THF. Butyllithium in toluene (0.74 mmol) was added to deprotonate the alcohol. Ten minutes later, triisobutyl aluminum in toluene (0.20 mmol) were added into the autoclave. To prevent homopolymerization before charging CO<sub>2</sub>, 1.5 mL of cyclohexene oxide was charged into a separate small vial which was put inside the autoclave. CO<sub>2</sub> was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under vigorous stirring at 80 °C. After the reaction time, the carbon dioxide slowly vented, and the reaction quenched with drops of 10% HCl. Dichloromethane was used to extract the polymer. The organic solution was concentrated and precipitated in methanol. The results were listed in Table 3, **FIG. 13, 14.**



**Table 4. Supplementary data of copolymerization of CO<sub>2</sub> and epoxide in the presence of boron Lewis acids.**

EXP*	Initiator (mol/L)	Et <sub>3</sub> B (mol/L)	solvent	Epoxide	CO <sub>2</sub> (atm)	Temp.	time	Yield (%)	PC (mol%)	Selectivity (%)	GPC (x10 <sup>3</sup> )
27	t-BuOK (0.28)	0.56	--	PO, bulk	10	60	16h	93	94	97	5.10/1.10
28	(Bu) <sub>4</sub> NCl (0.14)	0.28	--	PO, bulk	10	60	16h	85	82	95	9.00/1.10
29	(Bu) <sub>4</sub> NCl (0.028)	0.056	--	PO, bulk	10	60	16h	80	73	94	43.0/1.10
30	(Bu) <sub>4</sub> NCl (0.014)	0.028	--	PO, bulk	10	60	16h	59	83	78	40.0/1.10
31	(Bu) <sub>4</sub> NCl (0.028)	0.056	toluene	PO, 7.2M	10	60	16h	62	73	85	33.0/1.20
32	BnOH/P2 (0.07)	0.014	THF	PO, 7.2M	10	60	16h	93	88	96	11.0/1.20
33	BnOH/P4 (0.14)	0.28	THF	PO, 7.2M	10	60	16h	95	85	95	8.60/1.10
34	t-BuOK (0.067)	0.13	THF	CHO, 5.0M	10	80	16h	93	>99	>99%	12.0K/1.07

**EXAMPLE 5**

**[0057]** A representative procedure of CO<sub>2</sub> copolymerization of propylene oxide catalyzed by triethylborane was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 9.6 mg of potassium tert-butyloxyde (86 μmol) was added followed by triethylborane solution in THF (172 μmol) and propylene oxide (3 mL, 43mmol). CO<sub>2</sub> was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under stirring at 60 °C. After the reaction time for 16 hours, the carbon dioxide was slowly vented, and quenched the reaction with drops of 10% HCl. Dichloromethane was used to extract the polymer. The organic solution was concentrated and the polymer was obtained after precipitation in cyclohexene or cold methanol. The results were listed in Table 4. (see **FIG. 15-18, 20**).

**EXAMPLE 6**

**[0058]** A representative procedure of CO<sub>2</sub> copolymerization of cyclohexene oxide catalyzed by triethylborane was performed. Inside a glove box under argon, to a pre-dried 50 mL of autoclave fitted with magnetic stirring bar, 45 mg of potassium tert-butyloxyde (40 μmol) was added followed by 3.0 mL of THF, triethylborane (80 μmol), and 3.0 mL of cyclohexene oxide. CO<sub>2</sub> was charged into the sealed autoclave to 10 bar. Then, copolymerization was carried out under vigorous stirring at 80 °C. After the reaction time, the

carbon dioxide slowly vented, and the reaction quenched with drops of 10% HCl. Dichloromethane was used to dissolve and dilute the polymer. The polymer was obtained through precipitation in cold methanol. The results were listed in Table 4, **FIG. 19-20**.

**[0059]** The present invention is described with reference to the attached figures, wherein like reference numerals are used throughout the figures to designate similar or equivalent elements. The figures are not drawn to scale and they are provided merely to illustrate the invention. Several aspects of the invention are described with reference to example applications for illustration. It should be understood that numerous specific details, relationships, and methods are set forth to provide an understanding of the invention. One skilled in the relevant art, however, will readily recognize that the invention can be practiced without one or more of the specific details or with other methods. In other instances, well-known structures or operations are not shown in detail to avoid obscuring the invention. The present invention is not limited by the illustrated ordering of acts or events, as some acts may occur in different orders and/or concurrently with other acts or events. Furthermore, not all illustrated acts or events are required to implement a methodology in accordance with the present invention.

**WHAT IS CLAIMED IS:**

1. A method of making a polycarbonate, comprising:
  - contacting one or more cyclic monomers and carbon dioxide in the presence of one or more of a Lewis acid catalyst, an initiator, and an ionic liquid; and
  - agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create a polycarbonate.
2. The method of claim 1, wherein the one or more cyclic monomers comprises one or more epoxides.
3. The method of claim 1, wherein the one or more cyclic monomers comprises one or more of lactide, caprolactone, propylene oxide, cyclohexene oxide, ethylene oxide, and styrene oxide.
4. The method of claim 1, wherein the Lewis acid catalyst comprises one or more of trialkyl aluminum, trialkyl borane, dialkyl zinc, dialkylmagnesium and their ester form.
5. The method of claim 1, wherein the Lewis acid catalyst comprises one or more of triisobutyl aluminum, triethyl borane, trimethyl borane, triisobutylborane, triphenylborane, diethyl zinc, and diethyl magnesium.
6. The method of claim 1, wherein the initiator includes one or more of a mono- and/or poly-alcoholic, phenolic, and acidic salts with cations produced through deprotonation by different bases, salts, and/or other lithium salts additives,
  - wherein the cations include one or more of lithium, sodium, potassium, cesium, ammonium, imidazolium, phosphazium,
  - wherein the bases include one or more of imidazolium alkoxide, lithium alkoxide, lithium phenolate, and alkyllithium (including macromolecular alkoxide),
  - wherein the salts include one or more of imidazolium lithium, sodium, potassium, ammonium, tetraalkylammonium, tetraalkylphosphonium in halide, hydroxide, carbonate, and carboxylate,

wherein the other lithium salts additives include one or more of lithium carbonate, LiOH, LiCO<sub>3</sub>, LiClO<sub>4</sub>, LiPF<sub>6</sub>, LiBF<sub>4</sub>, and lithium bis(trifluoromethane)sulfonamide.

7. The method of claim 1, wherein the initiator includes one or more of lithium salts, imidazolium salts, and alkoxide salts.

8. The method of claim 1, wherein the initiator includes one or more of lithium benzoxide, lithium chloride, lithium bromide, lithium triethylene glycoxide, lithium glycoxide, lithium polystyrene, n-heterocyclic carbene, imidazolium chloride, potassium tertbutyloxide, tetrabutylammonium chloride, and benzene alcohol and phosphazene P2.

9. The method of claim 1, wherein the one or more ionic liquids include one or more of:

- 1) Imidazolium-based ionic liquids with different counter ion, including one or more of 3-Methyl-(4-9)-(fluoro)imidazolium Bis[(trifluoromethyl)sulfonyl]imide, 1-hexyl-3-methylimidazolium tris(penta fluoro propyl)trifluoro phosphate and 1-pentyl-3-methyl imidazolium tris(nona fluoro butyl)] trifluoro-phosphate;
- 2) Ammonium-based ionic liquids with different counter ions, including one or more of choline bis(trifluoromethylsulfonyl)imide, tetrabutyl ammonium docusate, peg-5-cocomonium methylsulphate;
- 3) Super-based derived protonic ionic liquids, including one or more of Methyl-triaza bicycloundacane (MTBD) and trifluoroethanol [MTBDH<sup>+</sup>] [TFE<sup>-</sup>]; and
- 4) Polyionic liquids, including one or more of poly(1-[(2-methacryloyloxy)ethyl]-3-butylimidazoliums, poly(1-ethyl-3-vinyl-imidazolium) bis(trifluoromethylsulfonyl) imide, N,N-dimethyl-N,N-diallylammonium bis(trifluoromethylsulfonyl) imide and poly(diallyldimethylammonium chloride) solution].

10. The method of claim 1, wherein the ionic liquid includes one or more of 1-butyl-3-methylimidazolium hexafluorophosphate and trioctylmethylammonium bis(trifluoromethylsulfonyl)imide.

11. The method of claim 1, wherein agitating comprises stirring.

12. A method of controlling a polymer composition, comprising:  
contacting one or more cyclic monomers and carbon dioxide;  
adjusting an amount of one or more of a Lewis acid catalyst, an ionic liquid, and an initiator in the presence of the one or more cyclic monomers and carbon dioxide, sufficient to selectively modify a resulting polycarbonate; and  
agitating, sufficient to copolymerize the one or more cyclic monomers and carbon dioxide to create the polycarbonate.
13. The method of claim 12, wherein adjusting comprises adding an excess.
14. The method of claim 12, wherein adjusting comprises modifying one or more ratios of catalyst/ionic liquid, catalyst/initiator, catalyst/cyclic monomers, ionic liquid/cyclic monomer and initiator/cyclic monomer, polymerization pressure (1 atm to 50 atm) and temperature (ambient temperature to 120<sup>0</sup>C).
15. The method of claim 12, wherein selectively modifying includes one or more of modifying a ratio of blocks, modifying a gradient, introducing a terminal functional group, copolymerizing with other macromolecular initiates, affecting randomness of blocks, and altering a structure.
16. The method of claim 12, wherein the one or more cyclic monomers comprises one or more epoxides.
17. The method of claim 12, wherein the one or more cyclic monomers comprises one or more of lactide, caprolactone, propylene oxide, and cyclohexene oxide, ethylene oxide, styrene oxide.
18. The method of claim 12, wherein Lewis acid catalyst comprises one or more of trialkyl aluminum, trialkyl borane, dialkyl zinc, dialkylmagnesium, triisobutyl aluminum, triethylborane, trimethylborane, triisobutylborane, triphenylborane, diethylzinc, and diethylmagnesium.
19. The method of claim 12, wherein the initiator includes one or more of lithium benzoxide, lithium chloride, lithium bromide, lithium triethylene glycoxide, lithium glycoxide, lithium

polystyrene, n-heterocyclic carbene, imidazolium chloride, potassium tertbutoxide, tetrabutylammonium chloride, and benzene alcohol and phosphazene P2.

20. The method of claim 12, wherein the one or more ionic liquids includes one or more of:

- 1) Imidazolium-based ionic liquids with different counter ions including one or more of: 3-Methyl-(4-9)-(fluoro)imidazolium Bis[(trifluoromethyl)sulfonyl]imide, 1-hexyl-3-methylimidazolium tris(penta fluoro propyl)trifluoro phosphate and 1-pentyl-3-methyl imidazolium tris(nona fluoro butyl)] trifluoro-phosphate;
- 2) Ammonium-based ionic liquids with different counter ions including one or more of choline bis(trifluoromethylsulfonyl)imide, tetrabutyl ammonium docusate, peg-5-cocomonium methylsulphate;
- 3) Super-based derived protonic ionic liquids including one or more of Methyl-triaza bicycloundacane (MTBD) and trifluoroethanol [MTBDH<sup>+</sup>] [TFE<sup>-</sup>]; and
- 4) Polyionic liquids including one or more of poly(1-[(2-methacryloyloxy)ethyl]-3-butylimidazoliums, poly(1-ethyl-3-vinyl-imidazolium) bis(trifluoromethylsulfonyl) imide, N,N-dimethyl-N,N-diallylammonium bis(trifluoromethylsulfonyl) imide and poly(diallyldimethylammonium chloride) solution.




FIGURE 1




FIGURE 2






FIGURE 3A




FIGURE 3B




FIGURE 4




FIGURE 5A




FIGURE 5B




FIGURE 6A




FIGURE 6B

poly(cyclohexene carbonate) initiated by LiBr




FIGURE 7A




FIGURE 7B




FIGURE 8




FIGURE 9




FIGURE 10




Figure 11




FIGURE 12

PSt-b-PCHC initiated by lithium polystyrene




FIGURE 13




FIGURE 14






FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20

# INTERNATIONAL SEARCH REPORT

International application No PCT/IB2016/053552
---

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> INV. C08G64/34 ADD.				
According to International Patent Classification (IPC) or to both national classification and IPC				
<b>B. FIELDS SEARCHED</b>				
Minimum documentation searched (classification system followed by classification symbols) C08G				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EPO-Internal, WPI Data				
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
X	WO 2014/178442 A1 (RICOH CO LTD [JP]; KAMADA YASUO [JP]; NEMOTO TAICHI [JP]; ARAI YOKO [J] 6 November 2014 (2014-11-06) examples 1-1 tables 1-1 -1-2  <div style="text-align: center;">                     -----                      -/--                 </div>	1, 11, 12, 14		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;"><input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C.</td> <td style="width: 50%; border: none;"><input checked="" type="checkbox"/> See patent family annex.</td> </tr> </table>			<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C.	<input checked="" type="checkbox"/> See patent family annex.
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C.	<input checked="" type="checkbox"/> See patent family annex.			
* Special categories of cited documents :				
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family			
Date of the actual completion of the international search	Date of mailing of the international search report			
24 August 2016	30/08/2016			
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer  Pouilley, Delphine			

INTERNATIONAL SEARCH REPORT

International application No  
PCT/IB2016/053552

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>XU ET AL: "Effects of imidazolium salts as cocatalysts on the copolymerization of CO<sub>2</sub> with epoxides catalyzed by (salen)Cr<sup>III</sup> complex", POLYMER, ELSEVIER SCIENCE PUBLISHERS B.V, GB, vol. 48, no. 14, 29 June 2007 (2007-06-29), pages 3921-3924, XP022126264, ISSN: 0032-3861 Experimental section; page 3922 table 3 Conclusion; page 3924</p>	1-20
X	<p>----- Jianmin Sun ET AL: "Ionic Liquids in Green Carbonate Synthesis" In: "Ionic Liquids - Classes and Properties", 10 October 2011 (2011-10-10), InTech, XP055296561, ISBN: 978-953-30-7634-8 DOI: 10.5772/24373, 5. Polycarbonate synthesis in/by IL; page 303 - page 306 -----</p>	1-20

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No  
PCT/IB2016/053552

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2014178442 A1	06-11-2014	CN 105164180 A	16-12-2015
		EP 2992030 A1	09-03-2016
		JP 2014214295 A	17-11-2014
		KR 20160005056 A	13-01-2016
		TW 201443099 A	16-11-2014
		US 2016083512 A1	24-03-2016
		WO 2014178442 A1	06-11-2014
-----			