



Energy efficient scheme for cognitive radios utilizing soft sensing

Item Type	Conference Paper
Authors	Alabbasi, AbdulRahman;Rezki, Zouheir;Shihada, Basem
Citation	A. Al-Abbasi, Z. Rezki, B. Shihada, "Energy Efficient Scheme for Cognitive Radios Utilizing Soft Sensing", in Proc. IEEE Wireless Communications and Networking Conference (WCNC), pp. 701-706, 2014.
Eprint version	Post-print
DOI	10.1109/WCNC.2014.6952153
Publisher	Institute of Electrical and Electronics Engineers (IEEE)
Journal	2014 IEEE Wireless Communications and Networking Conference (WCNC)
Rights	(c) 2014 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other users, including reprinting/ republishing this material for advertising or promotional purposes, creating new collective works for resale or redistribution to servers or lists, or reuse of any copyrighted components of this work in other works.
Download date	2023-12-05 02:19:19
Link to Item	http://hdl.handle.net/10754/362480

Energy Efficient Scheme for Cognitive Radios Utilizing Soft Sensing

AbdulRahman Alabbasi , Zouheir Rezki , Basem Shihada
CEMSE Division, King Abdullah University of Science and Technology
Email: {abdulrahman.alabbasi, zouheir.rezki, basem.shihada}@kaust.edu.sa

Abstract—In this paper we propose an energy efficient cognitive radio system. Our design considers an underlying resource allocation combined with soft sensing information to achieve a sub-optimum energy efficient system. The sub-optimality is achieved by optimizing over a channel inversion power policy instead of considering a water-filling power policy. We consider an Energy per Goodbit (EPG) metric to express the energy efficient objective function of the system and as an evaluation metric to our system performance. Since our optimization problem is not a known convex problem, we prove its convexity to guarantee its feasibility. We evaluate the proposed scheme comparing to a benchmark system through both analytical and numerical results.

Index Terms—Spectrum sharing, Energy efficiency, Spectrum sensing, Resource allocation,

I. INTRODUCTION

The carbon footprint is a popular measure of “greenness”. However, from the engineering perspective in wireless systems, it is hard to translate this criteria directly to quantifiable parameters. The notion of “green” technology in wireless systems can be made meaningful with a comprehensive evaluation of energy savings and performance in a practical system. The definition of adequate metrics is still an open problem and standards organizations are making efforts to define energy efficiency metrics for wireless networks. Making communication devices and spectrum usage greener will not only benefit the environment, but also increase the profitability of business for communication companies. In addition, green spectrum reduces the dependency on the legacy fuel supplies and lead to sustainable prosperity. One of the proposed green communication applications is cognitive radio (CR) system [1]. The combination of cognition system and energy efficiency technologies can be done in several ways as shown in [2], [3], [4].

Cognitive Radio (CR) has been proposed to overcome the inefficient use of frequency spectrum and its resulting scarcity [5]. In CR, secondary users (SU) may share the bands of the primary users (PU) through different schemes. For instance, opportunistic sharing and underlying sharing are two schemes that have been investigated in the literature [5]. The formal technique forces the SU to sense the PUs spectrum holes (unused PU bands) and transmit only on these bands. On the other hand, underlying sharing allows SU to transmit on PUs bands with a certain interference threshold [5]. Combining both techniques results in an improved performance compared to the conventional sharing [6]. Some papers consider PU transmitter detection with soft sensing decision instead of hard decision. Soft (hard) sensing decision implies that we are utilizing the sensing information into the scheme before (after) deciding the existence of PU. In CR environment it is more realistic to consider that SU does not have a prior knowledge of the PU’s signal and its Channel State Information (CSI). We take this into consideration in our system and sensor design.

Researchers have been considering optimal energy efficient systems by minimizing the system energy while preserving its Quality of Service (QoS) parameters, such as rate, delay, etc. [7]. However,

it has been indicated in [8] that optimizing the Energy Per Goodbits (EPG) yields to an improved result in terms of energy efficiency.

In this paper we propose and analyse an energy efficient communication system with spectrum sharing utilizing sensing information about PU, using an adaptive power and resource allocation scheme. In our analysis we consider the case where the PU is assumed to be active all the time. Our framework is divided into proposed and benchmark systems. In the proposed system we assume the existence of an on-board sensor at the SU, while the benchmark system depend only on the fact that PU is active and has to be protected with the same interference level all the time. The proposed system (of SU) uses its on-board sensor, frequently, to estimate and have a real time information about the PU activity to aggregate on the secondary to primary channel as much as possible, within the tolerable interference threshold.

Our proposed system has unique contributions as follows. We consider EPG metric with sensing information to evaluate the system performance, where the authors in [6], [10] considered only the capacity metric. Additionally, we proved the convexity of the proposed formulation. Analytical results are provided for both the proposed and benchmark systems.

This paper is organized as follows. Section II describes our system model with some related background on PU sensing approach. Section III discusses the problem formulation of both the benchmark and proposed systems. Followed by Section IV, which specifies the general derived analytical results for specific distributions. Finally, some numerical results are presented in Section V.

II. SYSTEM MODEL AND RELATED BACKGROUND

A. System Model




Fig. 1. System Model.

Our system model seeks to achieve energy efficient system through a sub-optimal CR resource allocation scheme. We consider a spectrum sharing protocol where the SU is sharing the available spectrum with the PU. Figure 1 shows our system model for a sub-carrier index i , whereas $i \in \{1, \dots, N\}$. In Figure 1 the fading channels between

primary transmitter (PT) and secondary receiver (SR), primary receiver (PR) and secondary transmitter (ST), and ST and SR are designated by h_{psi}, h_{spi}, h_{si} , and their corresponding absolute squares $\gamma_{psi}, \gamma_{spi}, \gamma_{si}$, respectively. The previously mentioned channels gains are assumed to be independent.

It is assumed that the sensor is on the SR side. Additionally, we consider that both ST and SR share the knowledge about the sensing information (ζ_i), γ_{si} and the average value of γ_{spi} ($\overline{\gamma_{spi}}$) through a feedback channel. It is assumed that PT transmits on maximum power (P_p) all the working times. On the other hand, ST has an adaptive power allocation policy (to be described later) denoted as P_{si} , differs per each sub-carrier i . An absolute condition on our system model is that the interference toward the PR to be limited within a certain interference threshold.

B. Sensing Background

In this section we provide the necessary background for incorporating the sensing information in our proposed system model. The linkage between the problem formulation and sensing information is done through the SU-to-PU average interference constraint, at which we include the sensing data. In addition to the original averaging of SU-to-PU interference, which is done over γ_{si} and γ_{spi} , we also average over sensing data received by the SU sensor (detector). In our framework the sensor senses the channels for T_s then start transmitting for a period of time T_c . Where we assume that $T_c \gg T_s$, such that T_s does not affect our performance. Additionally, we assume that the channel coherence time is large enough so that it does not change within two periods of sensing.

Since we do not have a prior knowledge about PU signal or channel, we use energy detection. As known in the literature, the output of the energy detector is [11],

$$\zeta_i(N_s) = \frac{1}{N_s} \sum_{n=1}^{N_s} |y_i(n)|^2, \quad (1)$$

where N_s is the number of sensing samples, and $y_i(n)$ is the received signal at SR sensor defined as,

$$y_i(n) = \begin{cases} \eta_i(n) & \mathcal{H}_0: \text{ (PU is idle)} \\ h_{psi}(n)x_i(n) + \eta_i(n) & \mathcal{H}_1: \text{ (PU is active)} \end{cases} \quad (2)$$

where, $x_i(n)$ is the PU data, and $\eta_i(n)$ is the additive white Gaussian noise (AWGN), with zero mean and unity variance, at the sensor side.

The authors of [11] have done a thorough investigation on the probability density function (PDF) of $\zeta_i(N_s)$ for both cases \mathcal{H}_0 and \mathcal{H}_1 . Following the same general approach, we obtain the PDF of both \mathcal{H}_0 and \mathcal{H}_1 as $g_0(\zeta_i)$ and $g_1(\zeta_i)$, and their corresponding means μ_0 , μ_1 , and variances δ_0^2 , δ_1^2 , respectively. Deciding whether PU exists or not requires an optimal decision mechanism. We use the likelihood function of the PDFs for the two hypotheses as follows,

$$\frac{g_0(\zeta_i)}{g_1(\zeta_i)} \geq \gamma_{ui} \quad (3)$$

where γ_{ui} is the threshold which identifies that PU is idle if (3) is satisfied.

By solving the inequality in (3), we obtain a set of ζ_i that lies within a region Z_0 and satisfies (3), meaning that PU is idle. On the other hand, if (3) is not satisfied, then the set of the resulting values of ζ_i lie within a region Z_1 , where $Z_1 = Z_0^c = 1 - Z_0$, and the PU is declared to be active, so we refrain from transmitting.

III. PROBLEM FORMULATION

In this section, we begin by discussing the benchmark system with some related analysis in Section III-A, then the proposed system formulation and its analysis is presented in Section III-B.

A. Benchmark System Formulation

In this sub-section we discuss the problem formulation of the benchmark system which is used as reference to evaluate the proposed system. Our problem is to minimize the objective function, which is the EPG metric, subject to several constraints as follows, this problem is called P_0 ,

$$P_0 : \quad \min_{P_{si}(\gamma)} \frac{\sum_{i=1}^N P_{si}(\gamma)}{\sum_{i=1}^N \log\left(1 + \frac{P_{si}(\gamma)\gamma_{si}}{1 + P_p\gamma_{psi}}\right)} \quad (4a)$$

$$\text{s.t.} \quad P_{si}(\gamma) \leq P_{max} \quad (4b)$$

$$\sum_{i=1}^N \log\left(1 + \frac{P_{si}(\gamma)\gamma_{si}}{1 + P_p\gamma_{psi}}\right) \geq R_{min} \quad (4c)$$

$$E_\gamma [P_{si}(\gamma)\gamma_{pi}] \leq P_{ave} \quad (4d)$$

where, $P_{si}(\gamma)$ and P_p are the transmission powers of SU and PU respectively, at sub-carrier i , N is the total number of subcarriers. For the benchmark system the variable appears in (4d) is equivalent to both γ_{si} and γ_{spi} . The parameters P_{max} and R_{min} are assigned constants for maximum instantaneous power per subcarrier of SU and minimum acceptable rate of SU. P_{ave} is the average power constraint on the received interference from ST at PR. In P_0 (4), the objective function is described in (4a) as the instantaneous EPG, where the constraints are described as bellow. First, the maximum instantaneous power constraint over N communication sub-carriers, as in (4b). Second, the minimum instantaneous SU rate, as in (4c). Finally, the average SU to PU interference constraint, as in (4d), where in the benchmark system we average over only γ_{si} and γ_{spi} .

It is clear that our framework considers only one average constraint while the other constraints and the objective function are instantaneous ones. A practical implementation for this framework is when SU is operating on a real time, delay intolerance, communication system. While, on the other hand, the PU is operating on a delay tolerance system.

We start solving the average constraint by considering, without loss of generality, the PU is active with probability $\Pr\{\text{PU is ON}\}$ and PU is idle with probability $\Pr\{\text{PU is OFF}\}$. Then by conditional expectation, (4d) is expanded into,

$$E_\gamma [P_{si}(\gamma)] = \Pr\{\text{PU is ON}\} E_\gamma [P_{si}(\gamma)\gamma_{spi} | \text{PU is ON}] + \Pr\{\text{PU is OFF}\} E_\gamma [P_{si}(\gamma) | \text{PU is OFF}] \leq P_{ave}, \quad (5)$$

where,

$$P_{ave} = \begin{cases} P, & \mathcal{H}_0 : \text{ (PU is OFF)} \\ Q_{int} & \mathcal{H}_1 : \text{ (PU is ON)} \end{cases} \quad (6)$$

where, Q_{int} and P are the average power constraint on ST when the PU is active and idle, respectively. $\Pr\{\cdot\}$ is the probability of the in-argument event. Since we assume that PU is active all the time, then $\Pr\{\mathcal{H}_1\} \rightarrow 1$. Therefore, (5) is reduced to,

$$E_\gamma \{P_{si}(\gamma)\gamma_{spi}\} \leq Q_{int} \quad (7)$$

To solve (7) we choose a power policy that is similar to the channel inversion power policy. The chosen power policy is depicted as follows,

$$P_{si} = \begin{cases} 0, & \gamma_{si} < \gamma_{vi} \\ \frac{\sigma_i}{\gamma_{si}}, & \gamma_{si} \geq \gamma_{vi} \end{cases} \quad (8)$$

where γ_{vi} is the SUs channel threshold to be optimized, which gives an indication about the SU channel γ_{si} (whether it is in deep fading, so we stop transmission, or in good condition, so we start transmission). The reason of choosing channel inversion power policy in (8) is that the same power allocation have been assumed in the proposed system case. Therefore, this keeps a fair comparison between both proposed and benchmark system.

Knowing that γ consists of both γ_{si} and γ_{spi} , which are independent random variables, we begin solving the expectation in (7). It is observed that even though we have a feedback channel between SR and ST to share the channel information, we consider the γ_{si} as a random variable in order to obtain the optimal value of γ_{vi} . This does not contradict with the fact that we know γ_{si} since we need to find γ_{vi} to optimally allocate the power policy in (8). Taking into account the assumed power policy in (8), then we can separate the expectation of (7) into two integrals as follows,

$$\sigma_i \int_{\gamma_{vi}}^{\infty} \frac{1}{\gamma_{si}} f_{\gamma_{si}}(\gamma_{si}) d\gamma_{si} \int_0^{\infty} \gamma_{spi} f_{\gamma_{spi}}(\gamma_{spi}) d\gamma_{spi} \leq Q_{int} \quad (9)$$

The first integral results in a general function of γ_{vi} , $G(\gamma_{vi}) = \int_{\gamma_{vi}}^{\infty} \frac{1}{\gamma_{si}} f_{\gamma_{si}}(\gamma_{si}) d\gamma_{si}$, which depends on the PDF of γ_{si} . The second integral results in $\overline{\gamma_{spi}}$, the average value of the γ_{spi} channel. Therefore, (9) becomes

$$\sigma_i G(\gamma_{vi}) \leq Q'_{int} \quad (10)$$

where $Q'_{int} = \frac{Q_{int}}{\overline{\gamma_{spi}}}$.

To show the analytical solution of the P_0 we transform the objective function (4a) into a convex form. It is proven in [8] that the minimization of (4a) is equivalent to minimizing the following function,

$$g(P_{si}, t) = \sum_{i=1}^N P_{si} - t \left(\sum_{i=1}^N \log\left(1 + \frac{P_{si}\gamma_{si}}{1 + P_p\gamma_{si}}\right) \right). \quad (11)$$

with respect to t and P_{si} .

The Lagrangian function of problem P_1 [12] is constructed while including (8)'s inequality as part of the Lagrangian function and we leave the maximum power constraint inequality (4b) to a later step (just like in the case of iterative water-filling approach). Finally, the Lagrangian function is expressed as follows,

$$\begin{aligned} L = & \sum_{i=1}^N \frac{\sigma_i}{\gamma_{si}} - t \sum_{i=1}^N \log\left(1 + \frac{\sigma_i}{1 + P_p\gamma_{spi}}\right) \\ & - \lambda_1 \left[\sum_{i=1}^N \log\left(1 + \frac{\sigma_i}{1 + P_p\gamma_{spi}}\right) - R_{min} \right] \\ & + \sum_{i=1}^N \lambda_{2i} [\sigma_i G(\gamma_{vi}) - Q'_{int}] \\ & + \sum_{i=1}^N \lambda_{3i} [\gamma_{vi} - \gamma_{si}] \end{aligned} \quad (12)$$

where λ_1 is the Lagrangian multiplier corresponds to (4c), λ_{2i} is the Lagrangian multiplier corresponds to (10), and λ_{3i} is the Lagrangian multiplier corresponds to inequality condition of (8).

Differentiating the Lagrangian function with respect to σ_i , and utilizing the Complementary Slackness conditions for constraint (10), we have two analytical solutions for σ_i

$$\bullet \lambda_{2i} = 0, \text{ then we obtain } \frac{\sigma_i^*}{\gamma_{si}} = \min \left(\left[t + \lambda_1 - \frac{1 + P_p\gamma_{spi}}{\gamma_{si}} \right]^+, P_{max} \right)$$

• $\lambda_{2i} \neq 0$, then we obtain σ_i by solving the following quadratic equation

$$\sigma_i^* = \min \left(\left[\frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \right]^+, \sigma_{mns} \right). \quad (13)$$

where, $a = \frac{1}{\gamma_{si}}$, $b = \left[\frac{1 + \gamma_{spi}P_p}{\gamma_{si}} + \lambda_{2i}Q'_{int} - (\lambda_1 + t) \right]$, and, $c = [\lambda_{2i}Q'_{int}(1 + \gamma_{spi}P_p)]$, $\sigma_{mns} = \text{Min}(\sigma_{ns}^+, P_{max}\gamma_{si})$, and, $\sigma_{ns}^+ = \frac{Q'_{int}}{G(\gamma_{vi})}$.

In a similar way, differentiating with respect to γ_{vi} leads to an analytical expression for γ_{vi}^* as follows,

$$\frac{\partial}{\partial \gamma_{vi}} G(\gamma_{vi}) = -\frac{\lambda_{3i}}{\lambda_{2i}\sigma_i} \quad (14)$$

Finally, We solve the Lagrangian multipliers $\lambda_1, \lambda_{2i}, \lambda_{3i}$ through the solution of the dual problem, and t can be found in a similar way to [8].

B. Proposed System Formulation

In this Section we formulate the proposed system problem and express the analytical solution of the optimal allocated power. The new formulation follows exactly the formulation of problem P_0 with some changes in (4d). Where we follow the same approach implemented to derive (7) for the benchmark case. However, in the propose system case, (7) is rewritten as,

$$E_{\gamma_{si}, \gamma_{spi}, \zeta_i} \{P_{si}(\gamma_{si}, \gamma_{spi}, \zeta_i)\gamma_{spi}\} \leq Q_{int}, \quad (15)$$

where, γ in (7) is replaced by three variables, namely, γ_{si} , γ_{spi} , and ζ_i (instead of two as in the benchmark system). The new problem after replacing (7) by (15) is called P_1 .

Our optimization variables of P_1 are the SU transmission power $P_{si}(\gamma_{si}, \gamma_{spi}, \zeta_i)$, sensing metric threshold γ_{ui} , and SU channel threshold γ_{vi} . Since $P_{si}(\gamma_{si}, \gamma_{spi}, \zeta_i)$ is a function of three random variables, $\gamma_{si}, \gamma_{spi}$, and ζ_i , and the expectation is a function of $P_{si}(\gamma_{si}, \gamma_{spi}, \zeta_i)$, then we have to deal with a functional of functions. Therefore, for simplicity in solving inequality (15), we propose the channel inversion power policy as follows

$$P_{si} = \begin{cases} 0, & \frac{g_0(\zeta_i)}{g_1(\zeta_i)} < \gamma_{ui} \text{ or } \gamma_{si} < \gamma_{vi} \\ \frac{\sigma_i}{\gamma_{si}}, & \frac{g_0(\zeta_i)}{g_1(\zeta_i)} \geq \gamma_{ui} \text{ and } \gamma_{si} \geq \gamma_{vi} \end{cases}. \quad (16)$$

We utilize the power policy assumption in (16) and the independence among γ_{si} , γ_{spi} , and ζ_i to start solving the expectation in (15). It follows that (15) is expressed as,

$$\sigma_i \int_{\gamma_{vi}}^{\infty} \frac{1}{\gamma_{si}} f_{\gamma_{si}}(\gamma_{si}) d\gamma_{si} \int_0^{\infty} \gamma_{spi} f_{\gamma_{spi}}(\gamma_{spi}) d\gamma_{spi} \int_{Z_0} g_1(\zeta_i) d\zeta_i \leq Q_{int} \quad (17)$$

where, Z_0 is the region of ζ_i which satisfies (3). The first and second integral can be solved similarly to the ones in (9). The third integral depends on $g_1(\zeta_i)$ the distribution of ζ_i . Let $\int_{Z_0} g_1(\zeta_i) d\zeta_i = K_{01}(\gamma_{ui})$. Finally, (17) is reduced to,

$$\sigma_i G(\gamma_{vi}) K_{01}(\gamma_{ui}) \leq Q'_{int}, \quad (18)$$

In order to guarantee that we always achieve a feasible, optimal, solution for P_1 , we prove its convexity in Appendix A.

The analytical solution of σ_i is obtained by differentiating the Lagrangian function of P_1 with respect to σ_i , in a similar way to

the derivation of the benchmark solution. Then σ_i is expressed as,

$$\frac{\sigma_i^*}{\gamma_{si}} = \min \left(\left[\frac{t + \lambda_1}{1 + \lambda_{2i} G(\gamma_{vi}) K_{01}(\gamma_{ui})} - \frac{(1 + P_p \gamma_{psi})}{\gamma_{si}} \right]^+, P_+^{ws} \right). \quad (19)$$

where

$$P_+^{ws} = \min \left(\frac{\sigma_{mws}}{\gamma_{si}}, P_{max} \right) \quad (20)$$

and

$$\sigma_{mws} = \frac{Q'_{int}}{G(\gamma_{vi}) K_{01}(\gamma_{ui})} \quad (21)$$

We notice that (19) takes the form of water-filling, and (20) is the clipping policy for the power allocation (19). Where the effect of sensing appears in first term of the minimum function of (19). It is proved in Appendix A that $K_{01}(\gamma_{ui})$ is a monodically decreasing function of γ_{ui} , therefore, the larger the threshold γ_{ui} the larger the allocated power. However to guarantee a high detection probability (low miss-detection probability) of our sensor, it is necessary to add an upper bound on γ_{ui} . Therefore, γ_{ui}^* is obtained as,

$$\gamma_{ui}^* = \min \left(\gamma_{ui}^{(m)}, \gamma_{ui}^{(o)} \right) \quad (22)$$

where, $\gamma_{ui}^{(m)}$ is the upper bound value of γ_{ui} , and $\gamma_{ui}^{(o)}$ is the optimal value of γ_{ui} obtained by differentiating (18) with respect to γ_{ui} and finding it zeros (numerically). Finally, γ_{vi}^* is found in a similar way to (14) when adding the effect of sensing metric.

IV. APPLICATION ON SPECIFIC DISTRIBUTIONS

We assume that the fading channels γ_{si} , γ_{spi} , and γ_{psi} are independent identically distributed random variables that follow an exponential distribution. Furthermore, although ζ_i is not Gaussian, we use the central limit theorem to approximate it as Gaussian distribution which simplifies the analysis without loss of generality. This approximation is done for both hypotheses \mathcal{H}_0 and \mathcal{H}_1 , with means μ_0 , μ_1 , and variances δ_0^2 , δ_1^2 , respectively. Since we obtain a sufficiently large number of samples for ζ_i , it is reasonable to use the Gaussian approximation in our analysis. The corresponding PDF of both hypotheses are $g_0(\zeta_i)$ and $g_1(\zeta_i)$, and expressed as,

$$g_0(\zeta_i) = \frac{\exp\left(-\frac{(\zeta_i - \mu_0)^2}{2\delta_0^2}\right)}{\delta_0} \quad (23)$$

$$g_1(\zeta_i) = \frac{\exp\left(-\frac{(\zeta_i - \mu_1)^2}{2\delta_1^2}\right)}{\delta_1} \quad (24)$$

Following the same assumption on ζ_i 's PDF, we can find that the region $Z_0 \in [\rho_1(\gamma_{ui}), \rho_2(\gamma_{ui})]$, which can be found as,

$$\rho_1(\gamma_{ui}) = a_0 \left(a_1 + \sqrt{b - \log(\gamma_{ui})} \right) \quad (25a)$$

$$\rho_2(\gamma_{ui}) = a_0 \left(a_1 - \sqrt{b - \log(\gamma_{ui})} \right), \quad (25b)$$

where,

$$a_0 = \frac{\sqrt{2\delta_1^2 \delta_0^2 (\delta_1^2 - \delta_0^2)}}{\delta_1^2 - \delta_0^2} \quad (26a)$$

$$a_1 = \frac{\delta_1^2 \mu_0 - \delta_0^2 \mu_1}{\sqrt{2\delta_1^2 \delta_0^2 (\delta_1^2 - \delta_0^2)}} \quad (26b)$$

$$b = \frac{(\mu_1 - \mu_0)^2}{2(\delta_1^2 - \delta_0^2)} + \log \left(\sqrt{\frac{\delta_1^2}{\delta_0^2}} \right). \quad (26c)$$

Following similar assumptions of the channels, $G(\gamma_{vi})$ is expressed as,

$$G(\gamma_{vi}) = E_1(\gamma_{vi}) \quad (27)$$

where E_1 is the exponential integral function given by $E_1(x) = \int_x^\infty \frac{e^{-t}}{t} dt$. Then, (14) can be simplified as,

$$\gamma_{vi} = \gamma_{vi} = W \left(\frac{\lambda_{2i}}{\lambda_{3i}} \sigma_i \right) \quad (28)$$

where W is the Lambert function [13], which is the solution of $x \exp(x) = y$, i.e., $x = W(y)$.

Also, we find that $K_{01}(\gamma_{ui})$ can be expressed as follows,

$$K_{01}(\gamma_{ui}) = Q(f_2(\gamma_{ui})) - Q(f_1(\gamma_{ui})) \quad (29)$$

where $Q(\cdot)$ is the Q-function, the functions $f_1(\cdot)$ and $f_2(\cdot)$ are expressed as,

$$\begin{aligned} f_1(\gamma_{ui}) &= \frac{\rho_1(\gamma_{ui}) - \mu_1}{\delta_1} \\ f_2(\gamma_{ui}) &= \frac{\rho_2(\gamma_{ui}) - \mu_1}{\delta_1} \end{aligned} \quad (30)$$

Finally, the upper bound value of γ_{ui} is found as,

$$\gamma_{ui}^{(m)} = Q^{-1}(P_D) \delta_1 + \mu_1 \quad (31)$$

V. SIMULATION RESULTS

In this section we evaluate the proposed scheme versus the benchmark scheme via numerical results. We consider the parameters mentioned in Table I to evaluate both the with sensing (proposed) and without sensing (benchmark) systems by checking the secondary minimum achievable EPG, and the outage metric, which is defined as the event where there is no feasible solution of the corresponding optimization problem.

TABLE I
SIMULATION PARAMETERS.

Parameter Name	Value
Sensing averaging bits (N_s)	1000
Maximum PT power (P_{max})	26.9897 dBm
Maximum ST power	26.9897 dBm
# Monte-Carlo iterations	10000
Wireless channels	Rayleigh, Slow Flat Fading
# Subcarriers (N)	8
Q_{int}	-6 dBm
Minimum Rate (R_{min})	0.1

It is known that the minimum EPG is resulted from minimizing the secondary transmission power and the corresponding rate. However, note that we have a minimum rate constraint R_{min} . Therefore, we define the EPG outage probability metric, which is the probability of outage that happens because there is no feasible solution that satisfies all the problem's constraints, as follows,

$$\text{EPG Outage} = \begin{cases} 0 & ; \text{A feasible solution exists} \\ 1 & ; \text{No feasible solution exists} \end{cases} \quad (32)$$

Figure 2(a) shows the numerical results of both the proposed (with sensing) scheme and the benchmark (no sensing) scheme. The proposed scheme outperforms the benchmark scheme with at least 7 dBm for a similar EPG outage. It also shows the improvement of the EPG outage probability versus the increment of Q_{int} for both the proposed and benchmark schemes.




Fig. 2. Numerical results: EPG Outage versus (a) Q_{int} (c) N_s with $Q_{int} = -10$ and -4 dBm (e) N with $Q_{int} = -10$ and -4 dBm, for all schemes. EPG CDF for different (b) Q_{int} (d) N_s and $Q_{int} = -4$ dBm (f) N for all schemes.

Figure 2(b) shows the CDF performance of the EPG metric for both the proposed and the benchmark schemes for several values of Q_{int} . The proposed scheme outperforms the benchmark scheme with minimum of 0.2 EPG units up-to around 1.5 EPG units for several values of $Q_{int} = -20, -10, -4, -2$. It is observed that the EPG performance of both the proposed and benchmark schemes degrades by decreasing the Q_{int} values. We also note that the lower the values of Q_{int} the lower the margin degradation of EPG performance of both the proposed and benchmark schemes, e.g. the performance degradation of the benchmark scheme from $Q_{int} = -2$ dBm to $Q_{int} = -4$ dBm is about 0.9 EPG units, while the degradation of the benchmark scheme from $Q_{int} = -10$ dBm to $Q_{int} = -20$ dBm is not observable.

Figure 2(c) depicts the EPG outage performance of both the proposed and benchmark schemes versus N_s for $Q_{int} = -10$ dBm and -4 dBm. As we know from Figure 2(a) the performance improves by increasing the threshold Q_{int} which is consistent with the results of Figure 2(c). In Figure 2(c) we note the improvement of the proposed scheme performance by increasing the number of sensing samples, while for the benchmark scheme the performance does not change by changing N_s . It is observed that the margin of improvement of the proposed scheme depends on other parameters, such as Q_{int} . For $Q_{int} = -4$ dBm we notice an improvement of about 0.045 EPG outage probability, while for $Q_{int} = -10$ dBm we notice higher performance improvement, reaches about 1 EPG outage probability.

Figure 2(d) depicts the CDF performance of the EPG metric for both the proposed and benchmark schemes with $Q_{int} = -4$ dBm and different values of N_s . It is observed that EPG performance of the proposed scheme improves by increasing the value of N_s . The margin of this improvement begin to decrease for high values of $N_s \approx 1000$. We note that decreasing N_s to very small values (≈ 50) degrades

the performance of the proposed scheme to a performance as worse as the benchmark scheme. It is important to note that increasing N_s does not continuously improve the performance, but only to a certain value. This is inferred from the plot of $Q_{int} = -10$ dBm, $N_s = 4000$ of Figure 2(d) comparing to $Q_{int} = -4$ dBm $N_s = 1000$ of Figure 2(d), where the performance of the later one outperforms the formal one because Q_{int} of the later one is higher, even though the N_s of the later is lower.

Figure 2(e) shows the EPG outage performance of both proposed and benchmark schemes versus N (sub-carriers number). We note that by increasing N the EPG outage performance improves for both the proposed and benchmark schemes. The improvement is faster for the case of the proposed scheme comparing to the benchmark scheme.

Figure 2(f) shows the CDF performance of the EPG metric for both the proposed and benchmark schemes with different values of $N = 2, 8, 10$, and 16 . It is observed that the CDF performance of the EPG metric improves by increasing N for the proposed scheme.

VI. CONCLUSION

In this paper we proposed a hybrid system with a mixture of energy efficiency and cognitive radio resource allocation. The proposed allocation scheme utilizes the soft sensing information obtained from the secondary user of the energy detector for the primary user signal. The original proposed problem is not clearly convex, but we convert it to a convex problem to guarantee the unique solution. We evaluated and analyzed the proposed scheme with respect to the same system model without utilizing the soft sensing information (benchmark scheme). The numerical results show that the proposed scheme outperforms the benchmark scheme with about 7 dBm. It is also shown that increasing the sub-carriers number from 2 to 16 improves the EPG performance of the proposed scheme up-to 6 EPG

units.

APPENDIX

In this section we prove the feasibility of the problem P_1 , to guarantee the existence of a solution. Since the proof of convexity of the objective function is done in [8], we tackle the convexity of all inequality constraints.

Since it is straightforward to prove the convexity of constraints (4b) and (4c), we discuss the convexity of constraint (18). It is easy to infer that (18) is convex with respect to both γ_{si} (represented as linear function of γ_{si}) and γ_{vi} (represented as exponential integral function of γ_{vi} , which is also convex). However, because we have difference of two Q-function as a function of γ_{ui} , it is a little bit tricky to prove the convexity of this part of the constraint. The convexity of this part of the constraint depends on the parameters of the problem.

- If $f_1(\gamma_{ui})$ and $f_2(\gamma_{ui})$ have different signs, then the constraint is convex (concave), so it is still feasible.
- If $f_1(\gamma_{ui})$ and $f_2(\gamma_{ui})$ have the same sign, then we are not sure that we have convex (concave) constraint over all γ_{ui} . This case results in difference of two convex functions.

We use a convexification of a monotonic problem [14] approach to prove the convexity of the constraint [15]. [14] proved that it is possible to change a monotonic problem into a convex (concave) problem, which is enough to prove feasibility of the problem. It is easy to prove that (18) is monotonic in-term of γ_{ui} (also in-term of all optimization variables). From the definitions of ρ_1, ρ_2, f_1 and f_2 at (25, 26 and 30) we notice that:

- 1) ρ_1 is a decreasing function in terms of γ_{ui} , and so is $f_1(\gamma_{ui})$.
- 2) ρ_2 is an increasing function in terms of γ_{ui} , and so is $f_2(\gamma_{ui})$.

Now, we prove monotonicity of the difference of two Q-functions, $h(\gamma_{ui}) = Q(f_2(\gamma_{ui})) - Q(f_1(\gamma_{ui}))$, by taking derivative with respect to γ_{ui} as follow

$$\frac{\partial h}{\partial \gamma_{ui}} = \underbrace{\frac{\partial Q}{\partial f_2(\gamma_{ui})}}_{\ominus} \underbrace{\frac{\partial f_2(\gamma_{ui})}{\partial \gamma_{ui}}}_{\oplus} - \underbrace{\frac{\partial Q}{\partial f_1(\gamma_{ui})}}_{\ominus} \underbrace{\frac{\partial f_1(\gamma_{ui})}{\partial \gamma_{ui}}}_{\ominus} \quad (33)$$

where, \ominus represent a negative sign of the derivative (decreasing function), and \oplus represent a positive sign of the derivative (increasing function). This proves that the overall $h(\gamma_{ui})$ is a monotonic decreasing function in term of γ_{ui} .

From [14], we can convexificate (concavificate) a monotonically decreasing (increasing) functions, means we change the monotonic function into a convex (concave) function. Let h be a twice differentiable function on X . For any $y = (y_1, \dots, y_n)^T \in \mathfrak{R}_+^n$, define a $y^{1/p}$ as the vector $(y_1^{1/p}, \dots, y_n^{1/p})^T$. We define a p^{th} power convexification transformation of h as follows:

$$\Psi_h(y) = \left[h \left(y^{1/p} \right) \right]^p. \quad (34)$$

where, $h(x) = Q(f_2(x)) - Q(f_1(x))$, and x is replaced by γ_{ui} .

Theorem A.1. Assume that there exist two positive numbers, $\epsilon_0 > 0$ and $\epsilon_1 > 0$, such that

$$h(x) \geq \epsilon_0, \forall x \in X, \quad (35a)$$

$$\frac{\partial h}{\partial x_j} \leq -\epsilon_1, \forall x \in X \text{ and } \forall j \in 1, \dots, n. \quad (35b)$$

Then there exists a $p_1 > 0$ such that $\Psi_h(y)$ is a convex function of y on Y_p , where,

$$Y_p = y \in \mathfrak{R}^n \mid l_j^p \leq y_j \leq u_j^p, j = 1, \dots, n \quad (36)$$

Applying the above theorem (A.1) on Ineq. (18), we can change it from a monotonically decreasing function into a convex function as follows:

$$\sigma_{si} E_1(\gamma_{vi}) \Psi_h(y) \leq Q_{int}^p, \quad (37)$$

REFERENCES

- [1] C. Han, T. Harrold, and etc., "Green radio: radio techniques to enable energy-efficient wireless networks," *Communications Magazine, IEEE*, vol. 49, no. 6, pp. 46–54, June 2011.
- [2] Z. Hasan, H. Boostanimehr, and V. Bhargava, "Green cellular networks: A survey, some research issues and challenges," *Communications Surveys Tutorials, IEEE*, vol. 13, no. 4, pp. 524–540, quarter 2011.
- [3] D. Feng, C. Jiang, G. Lim, J. Cimini, L.J., G. Feng, and G. Li, "A survey of energy-efficient wireless communications," *IEEE Communications Surveys Tutorials*, vol. 15, no. 1, pp. 167–178, 2013.
- [4] G. Li, Z. Xu, C. Xiong, C. Yang, S. Zhang, Y. Chen, and S. Xu, "Energy-efficient wireless communications: tutorial, survey, and open issues," *IEEE Wireless Communications*, vol. 18, no. 6, pp. 28–35, 2011.
- [5] I. F. Akyildiz, W.-Y. Lee, M. C. Vuran, and S. Mohanty, "Next generation/dynamic spectrum access/cognitive radio wireless networks: A survey," *Computer Networks*, vol. 50, no. 13, pp. 2127–2159, 2006.
- [6] V. Asghari and S. Aissa, "Resource sharing in cognitive radio systems: Outage capacity and power allocation under soft sensing," in *Global Telecommunications Conference, 2008. IEEE GLOBECOM 2008. IEEE*, 30 2008-dec. 4 2008, pp. 1–5.
- [7] R. Fischer and J. Huber, "A new loading algorithm for discrete multitone transmission," in *Global Telecommunications Conference, 1996. GLOBECOM '96.*, vol. 1, nov 1996, pp. 724–728 vol.1.
- [8] R. S. Prabhu and B. Daneshrad, "An energy-efficient water-filling algorithm for OFDM systems," in *IEEE International Conference on Communications (ICC), 2010*, 2010, pp. 1–5.
- [9] H. Volos and R. Buehrer, "Cognitive engine design for link adaptation: An application to multi-antenna systems," *IEEE Transactions on Wireless Communications*, vol. 9, no. 9, pp. 2902–2913, september 2010.
- [10] S. Srinivasa and S. Jafar, "Soft sensing and optimal power control for cognitive radio," *IEEE Transactions on Wireless Communications*, vol. 9, no. 12, pp. 3638–3649, december 2010.
- [11] F. F. Digham, M. Alouini, and M. K. Simon, "On the energy detection of unknown signals over fading channels," *IEEE Transactions on Communications*, vol. 55, no. 1, pp. 21–24, Jan. 2007.
- [12] S. Boyd and L. Vandenberghe, *Convex Optimization*, 2004.
- [13] R. M. Corless, G. H. Gonnet, D. E. G. Hare, D. J. Jeffrey, and D. E. Knuth, "On the Lambert-W function," in *Advances in Computational Mathematics*, 1996, pp. 329–359.
- [14] D. Li, X. Sun, M. Biswal, and F. Gao, "Convexification, concavification and monotonicity in global optimization," *Annals of Operations Research*, vol. 105, pp. 213–226, 2001.
- [15] M.-S. Cheon, "Global optimization of monotonic programs: Applications in polynomial and stochastic programming," *Georgia Institute of Technology*, 04 2005.