



Optimization of photoelectrochemical water splitting performance on hierarchical TiO₂ nanotube arrays

Item Type	Article
Authors	Zhang, Zhonghai;Wang, Peng
Citation	Zhang Z, Wang P (2012) Optimization of photoelectrochemical water splitting performance on hierarchical TiO ₂ nanotube arrays. Energy & Environmental Science 5: 6506. doi:10.1039/c2ee03461a.
Eprint version	Publisher's Version/PDF
DOI	10.1039/c2ee03461a
Publisher	Royal Society of Chemistry (RSC)
Journal	Energy & Environmental Science
Rights	This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.;Archived with thanks to Energy and Environmental Science
Download date	2023-12-05 18:38:00
Item License	http://creativecommons.org/licenses/by-nc/3.0/
Link to Item	http://hdl.handle.net/10754/334626

Optimization of photoelectrochemical water splitting performance on hierarchical TiO₂ nanotubes array

Zhonghai Zhang, Peng Wang*

Chemical and Life Sciences and Engineering Division, Water Desalination and Reuse Center,
King Abdullah University of Science and Technology, Thuwal 23955-6900, Saudi Arabia

Corresponding Author: peng.wang@kaust.edu.sa

Fig. S1.

Fig. S2.

Fig. S3.




Fig. S1. (a) SEM image of the TiO₂ NTs sample synthesized using the conventional one-step anodization method; (b) Ti foil surface after ultrasonic removal of the NTs layer.




Fig. S2. Average crystallite sizes of hierarchical TiO₂ NTs.




Fig. S3. Open circuit potential vs time profile of different hierarchical TiO₂ NTs.